	· · · · · · · · · · · · · · · · · · ·	
	Negative □	Microbiology: Positive □
	inop postop g/dl Hct postop	Cell Saver blood: Hb Hct Patient FBC: Hb: preop
		POST-OPERATIVE RESULTS:
		Filters used: Leukoguard RS 1VTE Other filter
Autotransfusion Set		COMMENTS/ADVERSE EVENTS:
	- Plasmau Cryou	
	Plateletsu Clotting factorsu	
	Other blood products transfused:	Hb before intraoperative Cell Salvage transfusedg/dl Suction pressure:mmHg
	Reason Allogeneic blood transfused:	1
Reservoir:	Allogeneic/lab blood transfusedu	Total washed Salvaged blood transfusedml
	Total Anticoagulant usedml	Total Volume after wash/Processedml
	Other concentration	Total Saline used by surgeonml
	A.C.D	Total Saline Wash (Swabs)ml
	Anticoagulant Type :	suctionml
Suction/Anticoagulation Line:	Device 1 - 2 - 3 -	INTRAOPERATIVE CELL SALVAGE DEVICE USED:
(Affix Labels)	Weight:	Blood Group: Haemoglobin: g/l HCT:
		Special Considerations:
	Female o	PATIENT INFORMATION: Male
		End Time: Autotransfusionist:
		Start Time (of procedure): Anaesthetist:
DOB:	DOR	Date: Surgeon:
Address:	Addr	CELL SALVAGE PROCEDURE:
0.	Emergency	CELL SALVAGE PROCEDURAL INFORMATION: Elective
CHI No	AUTOTRANSFUSION RECORD CHIL	AUTOTRANSFL